ELSEVIER

Hearing Research 154 (2001) 181–182

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 154

Bai, U. and Seidman, M.D.
A specific mitochondrial DNA deletion (mtDNA^{4977}) is identified in a pedigree of a family with hearing loss (154) 73
Bartels, S., Ito, S., Trune, D.R. and Nuttall, A.L.
Noise-induced hearing loss: the effect of melanin in the stria vascularis (154) 116
Bell, P.L., see Jones, S.M. (154) 54
Bonnet, P., see Campo, P. (154) 170

Campo, P., Lataye, R., Loquet, G. and Bonnet, P.
Styrene-induced hearing loss: a membrane insult (154) 170
Chapman, J.A., see Horowitz, S.S. (154) 12
Chen, G.-D., Kong, J., Reinhard, K. and Fechter, L.D.
NMDA receptor blockage protects against permanent noise-induced hearing loss but not its potentiation by carbon monoxide (154) 108

de Groot, J.C.M.J., see O'Leary, S.J. (154) 135
Dean, J.L., see Griffiths, T.D. (154) 165
Don, M., see Ponton, C.W. (154) 32

Eggermont, J.J., see Valentine, P.A. (154) 146

Fechter, L.D., see Chen, G.-D. (154) 108
Fujii, H., see Wada, H. (154) 158

Green, G.G.R., see Griffiths, T.D. (154) 165
Griffiths, T.D., Dean, J.L., Woods, W., Rees, A. and Green, G.G.R.
The Newcastle Auditory Battery (NAB). A temporal and spatial test battery for use on adult naïve subjects (154) 165

Hamers, F.P.T., see O'Leary, S.J. (154) 135
Horowitz, S.S., Chapman, J.A., Kaya, U. and Simmons, A.M.
Metamorphic development of the bronchial columella of the larval bullfrog (*Rana catesbeiana*) (154) 12

Ito, S., see Bartels, S. (154) 116

Johnson, K.R., see Zheng, Q.Y. (154) 45
Jones, S.M., Jones, T.A., Bell, P.L. and Taylor, M.J.
Compound gravity receptor polarization vectors evidenced by linear vestibular evoked potentials (154) 54
Jones, T.A., see Jones, S.M. (154) 54

Kawase, T., see Wada, H. (154) 158
Kaya, U., see Horowitz, S.S. (154) 12
Kenmochi, M., see Ohashi, T. (154) 26
Khosla, D., see Ponton, C.W. (154) 32
Kikuchi, H., see Ohashi, T. (154) 26
Kinoshita, H., see Ohashi, T. (154) 26
Klis, S.F.L., see O'Leary, S.J. (154) 135
Koike, T., see Wada, H. (154) 158
Kondrachuk, A.V.
Mathematical model of the evolution of statoconia (154) 1
Kong, J., see Chen, G.-D. (154) 108
Kwong, B., see Ponton, C.W. (154) 32

Ladich, F. and Popper, A.N.
Comparison of the inner ear ultrastructure between teleost fishes using different channels for communication (154) 62
Lataye, R., see Campo, P. (154) 170
Lee, S.-Y., see Tan, C.-T. (154) 81
Lin-Shiau, S.-Y., see Tan, C.-T. (154) 81
Liu, S.-H., see Tan, C.-T. (154) 81
Loquet, G., see Campo, P. (154) 170

Ma, Y., see Salt, A.N. (154) 88

Nishino, H., see Ohashi, T. (154) 26
Nuttall, A.L., see Bartels, S. (154) 116
Nuttall, A.L., see Zheng, J. (154) 124

O'Leary, S.J., Klis, S.F.L., de Groot, J.C.M.J., Hamers, F.P.T. and Smoorenburg, G.F.
Perilymphatic application of cisplatin over several days in albino guinea pigs: dose-dependency of electrophysiological and morphological effects (154) 135
Ochi, K., see Ohashi, T. (154) 26
Ohashi, T., Ochi, K., Kinoshita, H., Kenmochi, M., Kikuchi, H., Nishino, H. and Taguchi, Y.
Electrocochleogram after transection of vestibulo-cochlear nerve in a patient with a large acoustic neurinoma (154) 26

Parthasarathi, A., see Zheng, J. (154) 124
Ponton, C.W., Vasama, J.-P., Tremblay, K., Khosla, D., Kwong, B. and Don, M.
Plasticity in the adult human central auditory system: evidence from late-onset profound unilateral deafness (154) 32
Popper, A.N., see Ladich, F. (154) 62

Rees, A., see Griffiths, T.D. (154) 165
Reinhard, K., see Chen, G.-D. (154) 108
Ren, T., see Zheng, J. (154) 124
Repass, J.J. and Watson, G.M.
Anemone repair proteins as a potential therapeutic agent for vertebrate hair cells: facilitated recovery of the lateral line of blind cave fish (154) 98

Salt, A.N. and Ma, Y.
Quantification of solute entry into cochlear perilymph through the round window membrane (154) 88
Seidman, M.D., see Bai, U. (154) 73
Simmons, A.M., see Horowitz, S.S. (154) 12
Smoorenburg, G.F., see O'Leary, S.J. (154) 135

Taguchi, Y., see Ohashi, T. (154) 26
Tan, C.-T., Lee, S.-Y., Yao, C.-J., Liu, S.-H. and Lin-Shiau, S.-Y.
Effects of gentamicin and pH on $[Ca^{2+}]_i$ in apical and basal outer hair cells from guinea pigs (154) 81

PII: S0378-5955(01)00253-2

Taylor, M.J., see Jones, S.M. (154) 54
Tremblay, K., see Ponton, C.W. (154) 32
Trune, D.R., see Bartels, S. (154) 116

Valentine, P.A. and Eggermont, J.J.
Spontaneous burst-firing in three auditory cortical fields: its relation to local field potentials and its effect on inter-area cross-correlations (154) 146
Vasama, J.-P., see Ponton, C.W. (154) 32

Wada, H., Koike, T., Yuasa, Y., Kawase, T. and Fujii, H.
Measurement of stapes mobility in guinea pigs and rabbits (154) 158
Watson, G.M., see Repass, J.J. (154) 98
Woods, W., see Griffiths, T.D. (154) 165

Yao, C.-J., see Tan, C.-T. (154) 81
Yuasa, Y., see Wada, H. (154) 158

Zheng, J., Ren, T., Parthasarathi, A. and Nuttall, A.L.
Quinine-induced alterations of electrically evoked otoacoustic emissions and cochlear potentials in guinea pigs (154) 124
Zheng, Q.Y. and Johnson, K.R.
Hearing loss associated with the modifier of deaf waddler (*mdfw*) locus corresponds with age-related hearing loss in 12 inbred strains of mice (154) 45

ELSEVIER

Hearing Research 154 (2001) 183–185

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 154

Acoustic communication
Sound production; Hearing specialist; Hair cell; Anabantoid; Evolution (Ladich, F. (154) 62)

Age-related hearing loss
Hearing loss; Mouse; Inbred strain; Noise-induced hearing loss (Zheng, Q.Y. (154) 45)

Anabantoid
Sound production; Acoustic communication; Hearing specialist; Hair cell; Evolution (Ladich, F. (154) 62)

Anuran
Tadpole; Metamorphosis; Development; Auditory; Bronchial columella (Horowitz, S.S. (154) 12)

Auditory
Anuran; Tadpole; Metamorphosis; Development; Bronchial columella (Horowitz, S.S. (154) 12)

Auditory cortex
Cat; Single unit; Burst-firing; Local field potential; Cross-correlation (Valentine, P.A. (154) 146)

Auditory evoked potential
Plasticity; Unilateral; Deafness; Human (Ponton, C.W. (154) 32)

Bird
Otolith; Chicken; Utricle; Saccule; Vestibular function (Jones, S.M. (154) 54)

Bronchial columella
Anuran; Tadpole; Metamorphosis; Development; Auditory (Horowitz, S.S. (154) 12)

Burst-firing
Cat; Auditory cortex; Single unit; Local field potential; Cross-correlation (Valentine, P.A. (154) 146)

Carbon monoxide ototoxicity
NMDA receptor antagonist; MK-801-stereo isomers; Noise-induced hearing loss; Rat (Chen, G.-D. (154) 108)

Cat
Auditory cortex; Single unit; Burst-firing; Local field potential; Cross-correlation (Valentine, P.A. (154) 146)

Chicken
Otolith; Bird; Utricle; Saccule; Vestibular function (Jones, S.M. (154) 54)

Cisplatin
Osmotic pump; Guinea pig; Compound action potential; Endocochlear potential; Outer hair cell (O'Leary, S.J. (154) 135)

Cochlea
Perilymph; Round window membrane (Salt, A.N. (154) 88)

Cochlear potential
Guinea pig; Quinine; Ototoxicity; Outer hair cell; Electromotility; Otoacoustic emission (Zheng, J. (154) 124)

Compound action potential
Cisplatin; Osmotic pump; Guinea pig; Endocochlear potential; Outer hair cell (O'Leary, S.J. (154) 135)

Compound action potential adaptation
Vestibulo-cochlear nerve transection; Paired click stimulation; Compound action potential recovery; Efferent nerve system (Ohashi, T. (154) 26)

Compound action potential recovery
Vestibulo-cochlear nerve transection; Paired click stimulation; Compound action potential adaptation; Efferent nerve system (Ohashi, T. (154) 26)

Cross-correlation
Cat; Auditory cortex; Single unit; Burst-firing; Local field potential (Valentine, P.A. (154) 146)

Deafness
Plasticity; Auditory evoked potential; Unilateral; Human (Ponton, C.W. (154) 32)

Development
Anuran; Tadpole; Metamorphosis; Auditory; Bronchial columella (Horowitz, S.S. (154) 12)

Efferent nerve system
Vestibulo-cochlear nerve transection; Paired click stimulation; Compound action potential recovery; Compound action potential adaptation (Ohashi, T. (154) 26)

Electromotility
Guinea pig; Quinine; Ototoxicity; Outer hair cell; Otoacoustic emission; Cochlear potential (Zheng, J. (154) 124)

Endocochlear potential
Cisplatin; Osmotic pump; Guinea pig; Compound action potential; Outer hair cell (O'Leary, S.J. (154) 135)

Evolution
Sound production; Acoustic communication; Hearing specialist; Hair cell; Anabantoid (Ladich, F. (154) 62)

PII: S0378-5955(01)00254-4

Extracellular pH
Outer hair cell; Gentamicin; Intracellular calcium concentration; Fura-2 (Tan, C.-T. (154) 81)

Family pedigree
Specific mtDNA deletion; MtDNA^{4977}; Hearing loss (Bai, U. (154) 73)

Fura-2
Outer hair cell; Gentamicin; Intracellular calcium concentration; Extracellular pH (Tan, C.-T. (154) 81)

Gentamicin
Outer hair cell; Intracellular calcium concentration; Fura-2; Extracellular pH (Tan, C.-T. (154) 81)

Guinea pig
Quinine; Ototoxicity; Outer hair cell; Electromotility; Otoacoustic emission; Cochlear potential (Zheng, J. (154) 124)

Cisplatin; Osmotic pump; Compound action potential; Endocochlear potential; Outer hair cell (O'Leary, S.J. (154) 135)

Hair bundle
Mechanoreceptor; Stereocilium; Hair cell repair (Repass, J.J. (154) 98)

Hair cell
Sound production; Acoustic communication; Hearing specialist; Anabantoid; Evolution (Ladich, F. (154) 62)

Hair cell repair
Mechanoreceptor; Hair bundle; Stereocilium (Repass, J.J. (154) 98)

Hearing loss
Mouse; Inbred strain; Age-related hearing loss; Noise-induced hearing loss (Zheng, Q.Y. (154) 45)

Specific mtDNA deletion; MtDNA^{4977}; Family pedigree (Bai, U. (154) 73)

Hearing specialist
Sound production; Acoustic communication; Hair cell; Anabantoid; Evolution (Ladich, F. (154) 62)

Human
Psychophysics; Lesion; Test battery (Griffiths, T.D. (154) 165)

Plasticity; Auditory evoked potential; Unilateral; Deafness (Ponton, C.W. (154) 32)

Inbred strain
Hearing loss; Mouse; Age-related hearing loss; Noise-induced hearing loss (Zheng, Q.Y. (154) 45)

Intracellular calcium concentration
Outer hair cell; Gentamicin; Fura-2; Extracellular pH (Tan, C.-T. (154) 81)

Lesion
Human; Psychophysics; Test battery (Griffiths, T.D. (154) 165)

Local field potential
Cat; Auditory cortex; Single unit; Burst-firing; Cross-correlation (Valentine, P.A. (154) 146)

Measurement
Stapes; Mobility; Stiffness; Sensor (Wada, H. (154) 158)

Mechanoreceptor
Hair bundle; Stereocilium; Hair cell repair (Repass, J.J. (154) 98)

Melanin
Sensorineural; Stria vascularis; Pigment (Bartels, S. (154) 116)

Membrane
Styrene; Solvent; Ototoxicity; Rat (Campo, P. (154) 170)

Metamorphosis
Anuran; Tadpole; Development; Auditory; Bronchial columella (Horowitz, S.S. (154) 12)

MK-801-stereo isomers
NMDA receptor antagonist; Noise-induced hearing loss; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (154) 108)

Mobility
Stapes; Stiffness; Sensor; Measurement (Wada, H. (154) 158)

Model
Statoconia; Statocyst; Snail; Statoconia growth; Rate of growth (Kondrachuk, A.V. (154) 1)

Mouse
Hearing loss; Inbred strain; Age-related hearing loss; Noise-induced hearing loss (Zheng, Q.Y. (154) 45)

MtDNA^{4977}
Specific mtDNA deletion; Family pedigree; Hearing loss (Bai, U. (154) 73)

NMDA receptor antagonist
MK-801-stereo isomers; Noise-induced hearing loss; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (154) 108)

Noise-induced hearing loss
NMDA receptor antagonist; MK-801-stereo isomers; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (154) 108)

Hearing loss; Mouse; Inbred strain; Age-related hearing loss (Zheng, Q.Y. (154) 45)

Osmotic pump
Cisplatin; Guinea pig; Compound action potential; Endocochlear potential; Outer hair cell (O'Leary, S.J. (154) 135)

Otoacoustic emission
Guinea pig; Quinine; Ototoxicity; Outer hair cell; Electromotility; Cochlear potential (Zheng, J. (154) 124)

Otolith
Bird; Chicken; Utricle; Saccule; Vestibular function (Jones, S.M. (154) 54)

Ototoxicity
Guinea pig; Quinine; Outer hair cell; Electromotility; Otoacoustic emission; Cochlear potential (Zheng, J. (154) 124)

Styrene; Solvent; Membrane; Rat (Campo, P. (154) 170)

Outer hair cell
Guinea pig; Quinine; Ototoxicity; Electromotility; Otoacoustic emission; Cochlear potential (Zheng, J. (154) 124)

Cisplatin; Osmotic pump; Guinea pig; Compound action potential; Endocochlear potential (O'Leary, S.J. (154) 135)

Gentamicin; Intracellular calcium concentration; Fura-2; Extracellular pH (Tan, C.-T. (154) 81)

Paired click stimulation

Vestibulo-cochlear nerve transection; Compound action potential recovery; Compound action potential adaptation; Efferent nerve system (Ohashi, T. (154) 26)

Perilymph

Cochlea; Round window membrane (Salt, A.N. (154) 88)

Pigment

Melanin; Sensorineural; Stria vascularis (Bartels, S. (154) 116)

Plasticity

Auditory evoked potential; Unilateral; Deafness; Human (Ponton, C.W. (154) 32)

Psychophysics

Human; Lesion; Test battery (Griffiths, T.D. (154) 165)

Quinine

Guinea pig; Ototoxicity; Outer hair cell; Electromotility; Otoacoustic emission; Cochlear potential (Zheng, J. (154) 124)

Rat

NMDA receptor antagonist; MK-801-stereo isomers; Noise-induced hearing loss; Carbon monoxide ototoxicity (Chen, G.-D. (154) 108)

Styrene; Solvent; Ototoxicity; Membrane (Campo, P. (154) 170)

Rate of growth

Model; Statoconia; Statocyst; Snail; Statoconia growth (Kondrachuk, A.V. (154) 1)

Round window membrane

Cochlea; Perilymph (Salt, A.N. (154) 88)

Saccule

Otolith; Bird; Chicken; Utricle; Vestibular function (Jones, S.M. (154) 54)

Sensor

Stapes; Mobility; Stiffness; Measurement (Wada, H. (154) 158)

Sensorineural

Melanin; Stria vascularis; Pigment (Bartels, S. (154) 116)

Single unit

Cat; Auditory cortex; Burst-firing; Local field potential; Cross-correlation (Valentine, P.A. (154) 146)

Snail

Model; Statoconia; Statocyst; Statoconia growth; Rate of growth (Kondrachuk, A.V. (154) 1)

Solvent

Styrene; Ototoxicity; Membrane; Rat (Campo, P. (154) 170)

Sound production

Acoustic communication; Hearing specialist; Hair cell; Anabantoid; Evolution (Ladich, F. (154) 62)

Specific mtDNA deletion

$MtDNA^{4977}$; Family pedigree; Hearing loss (Bai, U. (154) 73)

Stapes

Mobility; Stiffness; Sensor; Measurement (Wada, H. (154) 158)

Statoconia

Model; Statocyst; Snail; Statoconia growth; Rate of growth (Kondrachuk, A.V. (154) 1)

Statoconia growth

Model; Statoconia; Statocyst; Snail; Rate of growth (Kondrachuk, A.V. (154) 1)

Statocyst

Model; Statoconia; Snail; Statoconia growth; Rate of growth (Kondrachuk, A.V. (154) 1)

Stereocilium

Mechanoreceptor; Hair bundle; Hair cell repair (Repass, J.J. (154) 98)

Stiffness

Stapes; Mobility; Sensor; Measurement (Wada, H. (154) 158)

Stria vascularis

Melanin; Sensorineural; Pigment (Bartels, S. (154) 116)

Styrene

Solvent; Ototoxicity; Membrane; Rat (Campo, P. (154) 170)

Tadpole

Anuran; Metamorphosis; Development; Auditory; Bronchial columella (Horowitz, S.S. (154) 12)

Test battery

Human; Psychophysics; Lesion (Griffiths, T.D. (154) 165)

Unilateral

Plasticity; Auditory evoked potential; Deafness; Human (Ponton, C.W. (154) 32)

Utricle

Otolith; Bird; Chicken; Saccule; Vestibular function (Jones, S.M. (154) 54)

Vestibular function

Otolith; Bird; Chicken; Utricle; Saccule (Jones, S.M. (154) 54)

Vestibulo-cochlear nerve transection

Paired click stimulation; Compound action potential recovery; Compound action potential adaptation; Efferent nerve system (Ohashi, T. (154) 26)